

Product technical sheet



ECLISSE MAX

Design: Cangini e Tucci

Typology: Hanging lamp, ceiling track, ceiling lamp, table lamp, wall lamp.

Product code: LU1560.1L, 1563.1L, GIG1563.1L, XXL1563.1L, 1569MX.43.3L, 1569MX.50.5L, AP1561.1L, 1567.120.3L.

Products details: Additional compositions on demand.

Metal structure finish available: chrome, matt white, matt black, brushed chrome.

Galvanic finish on demand:

-Single canopy available in: satin gold, satin bronze, satin black nickel.

-Tracks and plates available only in: chrome, matt white, matt black, brushed chrome.

Aluminum lamp holder.

On demand: with UL components.

Coaxial low voltage electric cable in transparent or black. Driver included.

Dimmable: yes - led is replaceable by professional.

Lumen indicated corresponds to the luminous intensity at the origin of the led board.


Products GIG and XXL in Fume color: 10% surcharge on the price of the coloured.

Leds available for Eclisse Max: LED 1 x 6W DIMM - 11,2-12,8 V - 500 mA - CRI>90 - 866 Lm - 144 Lm/W - 3 Step MacAdam - 2700°K.
LED 1 x 6W DIMM - 11,2-12,8 V - 500 mA - CRI>90 - 866 Lm - 144 Lm/W - 3 Step MacAdam - 3000°K.

Glass colours:




Metallic glass colours:




Metal structure finish:



Galvanic finish on demand for single canopy:





LU1560.1L

Table lamp with dimmer push button

Ø22 cm - H 27 cm

LED 1 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m



1563.1L

Hanging lamp

Glass Ø22 H 24 cm - Cable 150 cm

LED 1 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m




GIG1563.1L

Hanging lamp

Glass Ø24 H 26 cm - Cable 150 cm

LED 1 x 6W - 500 mA - 2700 or 3000°K

CE **IP20**   1m




XXL1563.1L

Hanging lamp

Glass Ø26 H 28 cm - cable 150 cm

LED 1 x 6W - 500 mA - 2700 or 3000°K

CE **IP20**   1m




1569MX.43.3L

Ceiling lamp

Glass Ø22-24-26 cm - Cable 150 cm

LED 3 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m




1569MX.50.5L

Ceiling lamp

Glass Ø22-24-26 cm - Cable 150 cm

LED 5 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m




AP1561.1L

Wall lamp

L22 x P27 x H 22 cm

LED 1 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m



1567.120.3L

Ceiling track

Glass 3x Ø22 cm - Cable 150 cm

LED 3 x 6W - 500 mA - 2700 or 3000°K

CE IP20 ⚠ 1m